
62

Wholesale Trade List

(Subject to Change Without Notice)

Fall 1957 — Spring 1958



May, 1957

Milton Nursery Co.

C. BERT MILLER, Pres. and Gen. Mgr. MILTON-FREEWATER, OREGON

Our 80th Year

Same Location—Same Family Ownership



Unquestionably, the most beautiful of all Maple Shade Trees, CRIMSON KING is the only variety in existence that retains its rich, dark, crimson color throughout the entire growing season.

CRIMSON KING MAPLE will again be nationally advertised in popular horticulture magazines. Beautiful four-colored folders are available to use as stuffers in your correspondence by mail or to hand out to your trade. Mats are also available for printing advertisements. If any of these are desired, place your order direct to us. A nominal charge will be made. See price schedules on page 7.

Our 80th Year of Nursery Experience
(Same Location—Same Family Ownership)
Your Best Guarantee for
Satisfactory "Quality and Service"

TO THE TRADE ONLY

ORDERS are booked subject to crop growing conditions and with the understanding that same shall be void should injury befall the stock from Drought, Flood, Fire, Frost, Hail, errors in count, or other causes beyond our control.

SHIPPING. We have access to the Union Pacific and Northern Pacific Railroads for making Eastern shipments throughout the season. We use combination or pool cars with stop-over for distribution at points in the East and Mid-West at car-lot rates. Refrigeration cars are always used and with Carrier's Protection Service in extreme cold weather.

We also have available excellent and dependable transcontinental motor freight service when more convenient for and requested by the customer.

PRICES herein are for the Trade only and cancel all previous prices offered by us. They are based on present conditions and subject to change without notice.

TERMS: 2% discount 10 days from date of invoice. Net and Due first of the second month following the date of invoice. Interest at 6% per annum will be charged on overdue accounts.

PACKING CHARGES for boxes or bales, in addition to prices quoted, will be invoiced at cost, except packed in bulk in car-lots without charge.


CLAIMS must be made promptly on receipt of shipment and all unsatisfactory or rejected goods held for our advice or disposition. We will gladly entertain such reports and make satisfactory adjustments when claims are definitely established.

GUARANTEE. We give no warranty, expressed or implied, as to life, description, quality, productiveness, or any other matter of any nursery stock, seeds or plants that we sell. It is mutually agreed that our total liability for any error, should stock prove untrue to name as labeled, shall be limited upon satisfactory proof, to our replacing free or refunding the purchase price thereof.

Address All Correspondence to:

P. O. Box 1305—Phone 451
Milton-Freewater, Oregon





MORAINE LOCUST

(Honeylocust) (Plant Patent No. 836)

The "Moraine" Locust is an Improved Honeylocust with a round head when young but tall and vase-shaped when older, attaining a height of 60 to 75 feet.

Graceful and Attractive Foliage

This stately new shade and ornamental tree has finely divided foliage and bears only sterile flowers, hence can never produce unsightly seed pods.

		Establish		ommer			
		Wholesa			Re	tail Pri	ces
		— Each		-		Each	
	One Year	Top, 3	Year 1	Roots, O	nce		
	Transplant	ed.					
		10-49	50-499	500-Up	1-9	10-49	50-Up
8	to 9 ft., Wh.	\$4.50	\$4.00	\$3.75	\$9.00	\$8.10	\$7.20
7	to 8 ft., Wh.	3.35	3.00	2.70	7.50	6.75	6.00
6	to 7 ft., Wh.	2.75	2.50	2.25	6.00	5.40	4.80
5	to 6 ft., Wh.	2.25	2.00	1.80	5.00	4.50	4.00
4	to 5 ft., Wh.	1.90	1.65	1.40	4.00	3.50	3.00
	Two Year	Tops, E	ranched	d.			
		1				— Eac	h —
					Pe	r 10	Per 100
	6 to 8, 3/4	4 to 1 "	' Cal	***************************************	\$5	5.50	\$5.00

One of the Most Popular Shade and Ornamental Trees of Recent Introduction

7.00

8 to 10, 1 to 1¹/₄" Cal. 7.75

SHADE AND ORNAMENTAL TREES AND SHRUBS ALMOND, Flowering (Prunus glandulosa)

Per 10 Per 100		— Each	_
3 to 4 ft., bush form	P		
2 to 3 ft., bush form	Pink flowering.		
18 to 24 in., bush form			1
## White flowering. Same sizes and prices as pink color.			
Same sizes and prices as pink color.		.45	.40
BIRCH (Betula Cut Leaf Weeping (Betula alba laciniata pendula)			
Cut Leaf Weeping (Betula alba laciniata pendula) 2.75 2.50 8 to 9 ft., branched 2.40 2.15 6 to 7 ft., branched 2.05 1.90 5 to 6 ft., branched 1.60 1.50 4 to 5 ft., branched 1.25 1.15 3 to 4 ft., branched .95 .90 European White (Betula alba) 8 to 10 ft., branched 2.00 1.75 6 to 8 ft., branched 1.50 1.35 5 to 6 ft., branched 1.10 1.00 4 to 5 ft., branched 3.0 .75 3 to 4 ft., branched .55 .50 European White, Clump Form (Three or more stems) 6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 3.0 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.50 1.3	Same sizes and prices as pink color.		
Cut Leaf Weeping (Betula alba laciniata pendula) 2.75 2.50 8 to 9 ft., branched 2.40 2.15 6 to 7 ft., branched 2.05 1.90 5 to 6 ft., branched 1.60 1.50 4 to 5 ft., branched 1.25 1.15 3 to 4 ft., branched .95 .90 European White (Betula alba) 8 to 10 ft., branched 2.00 1.75 6 to 8 ft., branched 1.50 1.35 5 to 6 ft., branched 1.10 1.00 4 to 5 ft., branched 3.0 .75 3 to 4 ft., branched .55 .50 European White, Clump Form (Three or more stems) 6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 3.0 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.50 1.3	BIRCH (Betula)		
Reference Section Se			
8 to 9 ft., branched 2.75 2.50 7 to 8 ft, branched 2.40 2.15 6 to 7 ft., branched 2.05 1.90 5 to 6 ft., branched 1.60 1.50 4 to 5 ft., branched 1.25 1.15 3 to 4 ft., branched .95 .90 European White (Betula alba) 8 to 10 ft., branched 2.00 1.75 6 to 8 ft., branched 1.50 1.35 5 to 6 ft., branched 1.0 1.00 4 to 5 ft., branched .80 .75 3 to 4 ft., branched .80 .75 3 to 4 ft., clump Form 2.35 2.10 5 to 6 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.20 1.10 2 to 3 ft., clump form 1.20 1.10 2 to 3 ft., clump form 80 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft.			
7 to 8 ft., branched		2.75	2.50
5 to 6 ft., branched 1.60 1.50 4 to 5 ft., branched 1.25 1.15 3 to 4 ft., branched 95 .90 European White (Betula alba) 8 to 10 ft., branched 2.00 1.75 6 to 8 ft., branched 1.50 1.35 5 to 6 ft., branched .80 .75 3 to 4 ft., branched .80 .75 3 to 4 ft., branched .55 .50 European White, Clump Form (Three or more stems) 6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form 80 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. 90 .80 2 to 3 ft. 1.10 1.00 3 to 4 ft. 90 .80			
### 4 to 5 ft., branched ### 1.25 1.15 3 to 4 ft., branched ### 95 .90 European White (Betula alba)			1.90
Sto 4 ft., branched .95 .90			
B to 10 ft., branched			
8 to 10 ft., branched 2.00 1.75 6 to 8 ft., branched 1.50 1.35 5 to 6 ft., branched 1.10 1.00 4 to 5 ft., branched .80 .75 3 to 4 ft., branched .55 .50 European White, Clump Form (Three or more stems) 2.00 1.75 6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form 80 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. 90 .80 2 to 3 ft. 1.0 1.0 4 to 5 ft. 1.10 1.00 3 to 4 ft. 90 .80 2 to 3 ft. 2.00 1.75 4 to 5 ft., branched 2.25 2.00 5 to 6 ft., br	3 to 4 ft., branched	.95	.90
8 to 10 ft., branched 2.00 1.75 6 to 8 ft., branched 1.50 1.35 5 to 6 ft., branched 1.10 1.00 4 to 5 ft., branched .80 .75 3 to 4 ft., branched .55 .50 European White, Clump Form (Three or more stems) 2.00 1.75 6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form 80 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. 90 .80 2 to 3 ft. 1.0 1.0 4 to 5 ft. 1.10 1.00 3 to 4 ft. 90 .80 2 to 3 ft. 2.00 1.75 4 to 5 ft., branched 2.25 2.00 5 to 6 ft., br	Furonean White (Retula alba)		
6 to 8 ft., branched 1.50 1.35 5 to 6 ft., branched 1.10 1.00 4 to 5 ft., branched		2.00	1 75
5 to 6 ft., branched 1.10 1.00 4 to 5 ft., branched .80 .75 3 to 4 ft., branched .55 .50 European White, Clump Form (Three or more stems) 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form .80 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's			
4 to 5 ft., branched .80 .75 3 to 4 ft., branched .55 .50 European White, Clump Form (Three or more stems) 6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 80 .75 Two main stems with other smaller stems at the base of the tree. 80 1.60 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. 90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35 3 to 6 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, bran			
Chree or more stems			
(Three or more stems) 6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form .80 .75 Two main stems with other smaller stems at the base of the tree. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 <t< td=""><td>3 to 4 ft., branched</td><td>.55</td><td>.50</td></t<>	3 to 4 ft., branched	.55	.50
(Three or more stems) 6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form .80 .75 Two main stems with other smaller stems at the base of the tree. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 <t< td=""><td></td><td></td><td></td></t<>			
6 to 7 ft., clump form 2.35 2.10 5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form 8.0 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. 990 .80 2 to 3 ft70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35	European White, Clump Form		
5 to 6 ft., clump form 2.00 1.75 4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form .80 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50<	(Three or more stems)		
4 to 5 ft., clump form 1.60 1.45 3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form .80 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35			2.10
3 to 4 ft., clump form 1.20 1.10 2 to 3 ft., clump form .80 .75 Two main stems with other smaller stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35			
2 to 3 ft., clump form .80 .75 Two main stems with other smaller stems at the base of the tree. 1.80 1.60 6 to 7 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
Two main stems with other smaller stems at the base of the tree. 6 to 7 ft.			
stems at the base of the tree. 6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10	2 to 3 ft., clump form	.80	.75
6 to 7 ft. 1.80 1.60 5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. 90 80 2 to 3 ft. 70 65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 2.00 1.75 4 to 5 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35			
5 to 6 ft. 1.45 1.30 4 to 5 ft. 1.10 1.00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
4 to 5 ft. 1.10 1,00 3 to 4 ft. .90 .80 2 to 3 ft. .70 .65 Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
3 to 4 ft			
Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.50 1.35			
Pyramidal European White (Betula alba fastigiata) Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched			
Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched	2 to 3 it.	.10	.00.
Foliage and bark same as European White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched	Dynamidal Euranaan White (Patula alba fac	tiniotal	
White birch but grows naturally in an upright compact, pyramidal form. 6 to 7 ft., branched		tigiata)	
an upright compact, pyramidal form. 6 to 7 ft., branched			
6 to 7 ft., branched 2.25 2.00 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10		2.25	2.00
4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10 Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
Young's Weeping (Betula alba youngii) Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10	3 to 4 ft., branched	1.20	1.10
Head irregular, branches drooping, dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
dwarf growth. Suitable for pools and rockeries, or naturalistic specimens. 8 to 10 feet in height at maturity. 5 to 6 ft., branched	Young's Weeping (Betula alba youngii)		
8 to 10 feet in height at maturity. 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
8 to 10 feet in height at maturity. 2.00 1.75 5 to 6 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
5 to 6 ft., branched 2.00 1.75 4 to 5 ft., branched 1.50 1.35 3 to 4 ft., branched 1.20 1.10			
4 to 5 ft., branched		2.05	
3 to 4 ft., branched			
2 00 0 10, 51 anciete			
	2 to 5 Iv., Standard	,00	.00

CHERRY, Flowering
Amanogawa, light pink blossoms, columnar growth.

	— Еа	ich —
F	Per 10	Per 100
3 to 4 ft., branched	\$1.45	\$1.30
2 to 3 ft., branched		1.00
3 to 4 ft., whips		.80
2 to 3 ft., whips	.70	.65
Kwanzan, double, dark rose-pink.		
4 to 5 ft., branched	1.70	1.55
3 to 4 ft., branched		1.30
2 to 3 ft., branched		1.00
4 to 5 ft., whips		1.00
3 to 4 ft., whips		.80
	.70	.65
Mt. Fuji, double, pure white blossoms in		
drooping clusters.		
4 to 5 ft., branched		1.55
3 to 4 ft., branched		1.30
2 to 3 ft., branched		1.00
4 to 5 ft., whips		1.00
3 to 4 ft., whips		.80
2 to 5 ft., whips	.70	.00
Yoshino, single, pale pink, fast grower.		
5 to 6 ft., branched	2.15	1.90
4 to 5 ft., branched		1.55
3 to 4 ft., branched		1.30
2 to 3 ft., branched		1.00
4 to 5 ft., whips		1.00
3 to 4 ft., whips		.80
2 to 3 ft., whips	.70	.03
CHERRY, WEEPING		
Subhirtella Fountain-type Weeping		
These trees were budded at the ground		
which, as they grow in height, produce		
series of drooping branches and make		
an attractive fountain-form appearance.		
5 to 6 ft., branched		2.00
4 to 5 ft., branched	2.00	1.75
3 to 4 ft., branched	1.65	1.50
CRABAPPLE, Flowering		
Almey		
This new Flowering Crabapple has large		
blossoms of glistening red petals, white		
markings at the base of each, giving the		
effect of a five-pointed star. The scarlet.		
fruit is retained until spring.		
5 to 6 ft., branched		1.50
4 to 5 ft., branched		1.30 1.10
	1.20	1.10
Atrosanguinea		
Single carmine flowers, small red fruit.		
5 to 6 ft., branched		1.20
4 to 5 ft., branched		.90
3 to 4 ft., branched		.75
5 to 6 ft., whips	.75	.70 . 60
2 to 0 1tt, willps	.00	.00

CRABAPPLE, Flowering—Continued Bechtel's	-	ach —
Large double pink blossoms, fragrant.		
4 to 5 ft., branched		\$1.20
3 to 4 ft., branched	90	.85
2 to 3 ft., branched		.65
18 to 24 in.	60	.55
Eleyii Single, dark pink flowers, showy red		
fruit. Red foliage in spring.		
6 to 7 ft., branched	1.65	1.50
5 to 6 ft., branched		1.20
4 to 5 ft., branched		.90
5 to 6 ft., whips		.70 .60
3 to 4 ft., whips		.50
Floribunda	00	.00
Single, pink blossoms, small yellow fruit	,	
green foliage.	4.00	
4 to 5 ft., branched		.90
3 to 4 ft., branched		.75 .70
4 to 5 ft., whips		.60
3 to 4 ft., whips		.50
Floribunda purpurea		
Very early, bearing large red flowers		
with purplish green foliage. Fruit is very large with purplish red colors.	S ,	
5 to 6 ft., branched	1.30	1.20
4 to 5 ft., branched	1.00	.90
5 to 6 ft., whips		.70
4 to 5 ft., whips		.60
3 to 4 ft., whips	55	.50
Hopa Rose-pink flowers, red fruit, bronze		
green foliage. One of the very desirable		
varieties		
6 to 7 ft., branched		1.35
5 to 6 ft., branched		1.10
4 to 5 ft., branched		.85
5 to 6 ft., whips		.65 .55
3 to 4 ft., whips		.45
Niedwetzkyana (Redvein Crabapple)		
Red branches, large, deep pink flowers	,	
attractive red fruit.	1.00	1.00
5 to 6 ft., branched		1.20
5 to 6 ft., whips		.70
4 to 5 ft., whips		.60
Red Silver		
Cut leaved silver and red foliage, shows	y	
red fruit. 4 to 5 ft., branched	1.00	.90
3 to 4 ft., branched		.75
4 to 5 ft., whips		.60
3 to 4 ft., whips		.50
Scheideckeri		
Large pink flowers, yellow fruit, green	1	
foliage. 6 to 7 ft., branched	1.65	1.50
5 to 6 ft., branched		1.20
4 to 5 ft., branched		.90
5 to 6 ft., whips		.70
4 to 5 ft., whips	65	.60
	,	

ELM, Chinese (Ulmus pumila)		
		ach —
	Per 10	Per 100
10 ft., up, 1½ to 1½ in., trans		\$1.35
8 to 10 ft., 1 to 1¼ in., trans 6 to 8 ft., ¾ to 1 in., trans		1.10
5 to 6 ft., 5% to 3/4 in., trans		.65
ELM, Chinese (Ulmus pumila) Seedlings Hardy strain, northwest seed.		
nardy strain, northwest seed.	Per 100	Day 1000
4 to 5 ft		Per 1000 \$125.00
3 to 4 ft.		75.00
2 to 3 ft.		50.00
18 to 24 in		35.00
12 to 18 in.	3.00	25.00
HAWTHORN, Crataegus		
Paul's Scarlet		
		ach —
	Per 10	Per 100
5 to 6 ft., branched, low-headed		\$1.50
4 to 5 ft., branched, low-headed 3 to 4 ft., branched, low-headed		1.30 1.20
5 to 6 ft., whips		1.10
4 to 5 ft., whips		.85
3 to 4 ft., whips		.70
HONEYLOCUST (Gleditsia)		
Thornless (G. triacanthos inermis)		
A variety of Honeylocust which has no		
thorns, and succeeds well in most any soil.		
7 to 8 ft., whips	1.20	1.10
6 to 7 ft., whips		1.00
5 to 6 ft., whips		.80
4 to 5 ft., whips		.55
3 to 4 ft., whips	45	.40
LABURNUM Vossi		
	0.10	1.05
6 to 8 ft., branched		1.85
5 to 6 ft., branched 4 to 5 ft., branched		1.60 1.35
6 to 7 ft., whips		1.50
5 to 6 ft., whips	1.35	1.25
4 to 5 ft., whips	1.10	1.00
LINDEN (Tilia)		
American (Tilia Americana)		
8 to 10 ft., branched		2.00
6 to 8 ft., branched 5 to 6 ft., branched		1.65 1.25
Cordata, small-leaved European	1.00	1.20
8 to 10 ft., branched	2.25	2.00
6 to 8 ft., branched	1.80	1.65
5 to 6 ft., branched	1.35	1.25

1.35

LOCUST (Robinia)

Globe or Umbrella

Used extensively for formal or street planting. Has attractive lacey foliage forming compact globe-shaped tops. Rapid growing.

	- E	ach —
	Per 10	Per 100
5, 5½, and 6 ft. stems	\$3.00	\$2.75
Pink Flowering Moss (Robinia hispida)		
An attractive specimen tree with deli-		
cate pink flowers. The branches have		
an appearance of moss-covered. Hardy.		
4½ ft. stems	3.00	2.75

MAPLE (Acer)

CRIMSON KING MAPLE

(Acer platanoides schwedleri Nigra)
Plant Patent No. 735

CRIMSON KING is a patented and improved type of Norway Schwedler Maple which is particularly distinctive and popular for its dark, reddish-purple foliage that retains the color until Fall frost. We are Licensed Growers authorized by the Patent Owner.

See cut on inside of front cover.

	Each	Each	Each	Each
	10-49	50-99	100-499	500-Up
7 to 8 ft., whips	\$3.00	\$2.70	\$2.50	\$2.30
6 to 7 ft., whips	2.50	2.20	2.00	1.85
5 to 6 ft., whips	2.20	1.70	1.50	1.40
4 to 5 ft., whips	1.60	1.40	1.25	1.15
3 to 4 ft., whips	1.30	1.10	1.00	.90
2 to 3 ft., whips		.85	.80	.75

Norway (Acer platanoides)

One-year whips, 3-year roots; all once transplanted.

OTC	2112	pra	HILEC	٨.							
									Each 100-249	Each 250-999	Each 1000-Up
8	to	9	ft.						\$1.00	\$.90	
7	to	8	ft.						95	.90	\$.80
6	to	7	ft.						90	.85	.75
5	to	6	ft.						75	.70	.60
4	to	5	ft.						55	.50	.40
3	to	4	ft.						45	.40	.30
										— E	ach —
										Per 10	Per 100
8	to	10	ft.,	Cal.	1	to	11/4	in.	branche	d\$2.50	\$2.25
6	to	8	ft.,	Cal.	$\frac{3}{4}$	to	1 .	in.	branche	d 2.00	1.80
-		-			-						

This new, valuable maple, besides being "a streamlined tree for city planting," is useful as an accent plant, or for screen purposes; longer lived than poplars.

7	to	8	ft., whips	2.20	1.95
6	to	7	ft., whips	1.90	1.70
5	to	6	ft., whips	1.55	1.40
4	to	5	ft., whips	1.20	1.10
			ft., whips	1.00	.90

MAPLE (Acer	—Continued	E.	ach —
		Per 10	Per 100
Red (Acer ru	brum)		
6 to 8 ft.	, branched	\$2.25	\$2.00
	, branched		1.50
	, whips		1.20
	, whips		1.10
	, whips		.90
	, whips		.80
3 to 4 ft.	, whips		.65
Schwedler (Acer schwedleri)		
8 to 10 ft.	, Cal. 1 to 11/4 in. bra	nched 3.00	2.75
	, Cal. 3/4 to 1 in. bra		2.25
	, branched		1.80
	, whips		1.75
	, whips		1.65
	, whips		1.55
	, whips		1.20
4 to 5 ft.	, whips		.85
Silver or sof	t (Acer dasycarpum)		
	, branched		1.35
	, branched		1.10
5 to 6 ft	, branched		.90
quite simil	rowth and green foliag ar to Norway Maple. Do is with European Sycan Planetree.)	not	
8 to 10 ft	, branched	2.50	2.25
6 to 8 ft	, branched	2.05	1.80
	., branched	1.50	1.35
	., whips		.95
	., whips		.85
	., whips		.75
4 to 5 It	., whips	.70	.65
MOUNTAIN A	SH, European		
	, branched		2.00
	, branched		1.75
	, branched		1.50
	., branched		1.25
	., whips		1.40
	, whips		1.25 1.15
1, 12, 1	., whips ., whips		.90
EUROPEAI	N MT. ASH, Clump For	m	
Three o	r more stems.	— Each Per 10 P	er 100
6 to 7 ft. c	lump form		\$2.15
	lump form		1.90
	lump form		
			1.65
3 to 4 It., c.	lump form	1.45	1.35

PEACH, Flowering Helen Borchers, Pink

Heleli Borchers, Filik	E -	ch —
p	— <u> </u>	Per 100
6 to 7 ft., branched		\$1.15
5 to 6 ft., branched		.90
4 to 5 ft., branched		.75
3 to 4 ft., branched		.60
Red Unnamed		
6 to 7 ft., branched	1.25	1.15
5 to 6 ft., branched		.90
4 to 5 ft., branched		.75
3 to 4 ft., branched	.65	.60
		,
PLUMS (Ornamental Prunus)		
Blireana		
Reddish-purple foliage; large double		
pink, unusually fragrant flowers.		
6 to 7 ft., branched	1.55	1.40
5 to 6 ft., branched		1.10
4 to 5 ft., branched	.90	.85
Cistena		
C.033.112		
Hansen's Purple Leaf Plum; Medium		
growth, rich dark purple foliage, single pink flowers. Hardy.		
	1.20	1.10
4 to 5 ft., bush form		.90
2 to 3 ft., bush form		.65
2 00 0 20, 2002 2022		
Marriagn		
Newport		
Hardy upright grower, purple foliage		
with red tips.	1 55	1.40
6 to 7 ft., branched 5 to 6 ft., branched		1.40 1.10
4 to 5 ft., branched		.85
to o it., pranctica	.50	.00.
Thundercloud		
Strong upright growth with deep		
purple foliage.	1 55	1.40
6 to 7 ft., branched		1.40 1.10
5 to 6 ft., branched		.85
Triloba	.00	.00
Small tree with double pink flowers thick set on slender branches.		
	1 95	1.10
4 to 5 ft., branched, tree form 3 to 4 ft., branched, tree form		.85
2 to 3 ft., branched, tree form		.65
4 to 5 ft., bush form		1.10
3 to 4 ft., bush form	.90	.85
2 to 3 ft., bush form	.70	.65
SYCAMORE (Platanus)		
European (Oriental Planetree)		
10 to 12 ft., branched	2.75	2.50
8 to 10 ft., branched	2.25	2.00
6 to 8 ft., branched		1.75
5 to 6 ft., branched		1.40

QUINCE, Flowering (Cydonia japonica)

.Crimson Beauty

WILLOW (Salix)

Babylonica, weeping

Rapid grower, olive green bark and leaves.

Teaves.	— Еа	ach —
	Per 10	Per 100
6 to 8 ft., branched	\$1.35	\$1.25
5 to 6 ft., branched	1.25	1.10
Niobe, weeping Golden bark, graceful drooping habit.		
, 6	1.65	1.50
8 to 10 ft., branched		
6 to 8 ft., branched	1.35	1.25
5 to 6 ft., branched	1.25	1.10

Purpurea nana (Dwarf Blue-leaf Arctic Willow)

The foliage is a lovely silvery-green color. Can be trimmed for formal effects; splendid for a dense dwarf hedge. Also very desirable as single specimens in foreground of shrubbery groups or borders. Hardy. Mature height 3 to 4 feet.

					Р	er 100	Per 1000
18	to	24	in.,	bush-form		\$22.50	\$200.00
12	to	18	in.,	bush-form	***************************************	17.50	150.00
9	to	12	in.,	bush-form		12.50	100.00

FRUIT TREES

Bing Royal Ann (Napoleon) Van	Some fruit trees with a shorter regular height of other varieties prevail.	
Per 10	CHERRY, Sweet (Mahaleb roots)	
Per 10	All one year whips.	
5 to 6 ft., ¾ to 1 in. \$9.0 85 4 to 6 ft., ½ to 5 in. 90 85 4 to 5 ft., ½ to 5 in. 80 75 Bing Black Tartarian Lambert Royal Ann (Napoleon) CHERRY, Sour (Mahaleb roots) All one year branched. 4 to 6 ft., ¾ to 1 in. 1.10 95 3½ to 4½ ft., ½ to 5 in. 90 85 3½ to 4½ ft., ½ to 5 in. 80 75 Montmorency APPLES, APRICOTS, CRABS, PEACHES, PLUMS, PRUNES. All one year. 5 to 6 ft., ¾ to 1 in. 85 80 5 to 6 ft., ¾ to ½ in. .65 60 3 to 4 ft., ¾ to ½ in. .55 .50 2 to 3 ft., ¼ to 3% in. .45 .40 APPLES Blackjon Ruby Rome Beauty Stayman Winesap Yellow Delicious Red June APPLES Elberta Golden Jubilee Hale Haven PLUMS Tilton Red Haven PLUMS President PRUNES Red Haven PLUMS Italian Richards Richards Milton Bartlett 4 to 6 ft., ¾ to 5 ¼ in. .80 .75 4 to 6 ft., ½ to 5% in. .70 .66 3 to 4 ft., ¾ to ½ in. .60 .55 2 to 3 ft., ¼ to 3% in. .50 .45		
4 to 5 ft., ½ to ¾ in	5 to 6 ft 3/4 to 1 in	
## A to 5 ft., ½ to 5% in		
Bing Royal Ann (Napoleon) Van	4 to 5 ft., ½ to 5% in	
All one year branched. 4 to 6 ft., ¾ to 1 in	Bing Black Tartarian	Royal Ann (Napoleon)
All one year branched. 4 to 6 ft., ¾ to 1 in	CHERRY, Sour (Mahaleb roots)	
4 to 5 ft., 5/8 to 3/4 in		
3½ to 4½ ft., ½ to 5% in.		
Montmorency APPLES, APRICOTS, CRABS, PEACHES, PLUMS, PRUNES. All one year. 5 to 6 ft., 3/4 to 1 in. .85 .80 4 to 6 ft., 5/8 to 3/4 in. .75 .70 4 to 5 ft., 1/2 to 5/8 in. .65 .60 3 to 4 ft., 3/8 to 1/2 in. .55 .50 2 to 3 ft., 1/4 to 3/8 in. .45 .40 APPLES Blackjon Ruby Rome Beauty Lodi Stayman Winesap Double Red Delicious Yellow Delicious Red June APRICOTS Chinese Tilton Wenatchee Moorpark PEACHES Elberta Golden Jubilee J. H. Hale Halian Richards PEARS Comice Anjou Winter Nellis Apricate Anjou Bartlett 4 to 5 ft., ½ to 5½ in. .80 .76 4 to 5 ft., ½ to 5½ in. .60 <t< td=""><td></td><td></td></t<>		
APPLES, APRICOTS, CRABS, PEACHES, PLUMS, PRUNES. All one year. 5 to 6 ft., ¾ to 1 in		
5 to 6 ft., ¾ to 1 in	APPLES, APRICOTS, CRABS, PEPLUMS, PRUNES.	EACHES,
4 to 6 ft., 5% to 3¼ in		85 80
4 to 5 ft., ½ to 5% in	4 to 6 ft., 5% to 3% in.	.75 .70
3 to 4 ft., 3/8 to 1/2 in		
Blackjon Ruby Rome Beauty Lodi Stayman Winesap Double Red Delicious Yellow Delicious Red June APRICOTS Chinese Tilton Wenatchee Moorpark PEACHES Elberta Improved Elberta Golden Jubilee J. H. Hale Hale Haven Red Haven PLUMS President PRUNES Italian Richards Milton PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5/8 to 3/4 in	3 to 4 ft., 3/8 to 1/2 in	.55 .50
Blackjon Ruby Rome Beauty Lodi Stayman Winesap Double Red Delicious Yellow Delicious Red June APRICOTS Chinese Tilton Wenatchee Moorpark PEACHES Elberta Improved Elberta Golden Jubilee J. H. Hale Hale Haven Red Haven PLUMS President PRUNES Italian Richards Milton PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 34 in	2 to 3 ft., ¼ to ¾ in	
Lodi Stayman Winesap Double Red Delicious Yellow Delicious Red June APRICOTS Chinese Tilton Wenatchee Moorpark PEACHES Elberta Improved Elberta Golden Jubilee J. H. Hale Hale Haven Red Haven PLUMS President PRUNES Italian Richards Milton PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 3/4 in. 80 .75 4 to 5 ft., 1/2 to 5% in70 .65 3 to 4 ft., 3% to 1/2 in60 .55 2 to 3 ft., 1/4 to 3/8 in50 .45		
Chinese Wenatchee Moorpark PEACHES Elberta Improved Elberta Golden Jubilee J. H. Hale Hale Haven Red Haven PLUMS President PRUNES Italian Richards Milton PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 3/4 in	Lodi Double Red Delicious Red June	Stayman Winesap Yellow Delicious
PEACHES		
PEACHES Improved Elberta J. H. Hale Hale Haven PLUMS		Tilton
Golden Jubilee Hale Haven PLUMS President PRUNES Italian Milton PEARS Comice Winter Nellis 4 to 6 ft., 5% to 3/4 in		S
Red Haven		
PLUMS President PRUNES Italian Richards Milton PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 3/4 in		J. H. Hale
President PRUNES Italian Richards Milton PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 3/4 in		
PRUNES Italian Richards Milton PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 3/4 in		
Italian Richards Milton PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 3/4 in. .80 .75 4 to 5 ft., 1/2 to 5% in. .70 .65 3 to 4 ft., 3% to 1/2 in. .60 .55 2 to 3 ft., 1/4 to 3% in. .50 .45		
PEARS Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 3/4 in. .80 .75 4 to 5 ft., ½ to 5% in. .70 .65 3 to 4 ft., 3% to ½ in. .60 .55 2 to 3 ft., ¼ to 3% in. .50 .45		
Comice Anjou Winter Nellis Bartlett 4 to 6 ft., 5% to 3/4 in. .80 .75 4 to 5 ft., ½ to 5% in. .70 .65 3 to 4 ft., 3% to ½ in. .60 .55 2 to 3 ft., ¼ to 3% in. .50 .45		Tucharus
Winter Nellis Bartlett 4 to 6 ft., 5% to 3¼ in. .80 .75 4 to 5 ft., ½ to 5% in. .70 .65 3 to 4 ft., 3% to ½ in. .60 .55 2 to 3 ft., ¼ to 3% in. .50 .45	PEARS	
4 to 6 ft., 5% to 3¼ in. .80 .75 4 to 5 ft., ½ to 5% in. .70 .65 3 to 4 ft., 3% to ½ in. .60 .55 2 to 3 ft., ¼ to 3% in. .50 .45		
4 to 5 ft., ½ to % in	Winter Nellis	Bartlett
3 to 4 ft., 3/8 to 1/2 in		
2 to 3 ft., ½ to 3% in		

DV	ARF PEARS	
All one year whips.		
4 to 6 ft., 3/4 to 1	in 2.10	1.90
4 to 5 ft., 5/8 to 3/	in 1.80	1.65
4 to 5 ft., ½ to 5/2	in 1.35	1.25
3 to 4 ft., 3/8 to 1/2	2 in 1.00	.90
Bartlett	Seckel	
Comice		

FRUIT TREE SEEDLINGS AND CUTTINGS

All of our Mahaleb, Mazzard and Myrobalan Seedlings herein listed are root-pruned in the seedling beds which produces uniform fibrous branched root systems.

APPLES	er 100	Per 1000			
½ in. and up, branched	\$4.70	\$40.00			
No. 1, 3/16 to ¼ in., branched	4.10	36.00			
No. 1, 3/16 to 5/16 in., straight		40.00			
No. 2, 2/16 to 3/16 in., branched		28.00			
No. 2, 2/16 to 3/16 in., straight	3.10	28.00			
No. 3, about 2/16 in	2.50	20.00			
PEAR, Bartlett					
¼ in. and up, branched	4.70	40.00			
¼ in. and up, straight	4.70	40.00			
No. 1, 3/16 to ½ in., branched	4.10	36.00			
No. 1, 3/16 to 1/4 in., straight	4.10	36.00			
No. 2, 2/16 to 3/16 in., branched	3.20	28.00			
No. 2, 2/16 to 3/16 in., straight		28.00			
No. 3, about 2/16 in		20.00			
MAHALEB					
¼ in. and up	4.40	38.00			
No. 1, 3/16 to ½ in.	4.10	36.00			
No. 2, 2/16 to 3/16 in.	3.20	28.00			
No. 3, about 2/16 in.		20.00			
MAZZARD					
¼ in. and up	4.40	38.00			
No. 1, 3/16 to ½ in.	4.10	36.00			
No. 2, 2/16 to 3/16 in.	3.20	28.00			
No. 3, about 2/16 in	2.50	20.00			
MYROBALAN					
¼ in. and up	4.40	38.00			
No. 1, 3/16 to ½ in.		36.00			
No. 2, 2/16 to 3/16 in		28.00			
No. 3, about 2/16 in		20.00			
QUINCE, Angers					
1/4 in. and up, rooted cuttings	6.50	60.00			
No. 1, 3/16 to ¼ in., rooted cuttings	6.00	55.00			
No. 2, 2/16 to 3/16 in., rooted cuttings		50.00			





Plant America!

Member of

American Association of Nurserymen Illinois State Nurserymen's Association Oregon Association of Nurserymen Western Association of Nurserymen



Our 80th Year "Service and Znality"

Milton Nursery Co.

P. O. Box 1305—Phone 451
MILTON-FREEWATER, OREGON